

PENTAIR - 440
AUTOTROL 263 ASSEMBLED FILTERS

REVISED 01.01.2010

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterwerks@aol.com
 Please visit our web site @ www.iwaterwerks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MODEL NUMBER	TANK SIZE	SUPPORT BEDDING	CUBIC FEET	BW Assy#	DLFC (Gpm)	INJECTOR COLOR	FILTER LIST
BIRM FILTER SYSTEMS (Iron & Manganese Reduction)							
263B8	8x44"	10-lbs	.75cf	10	3.5	N/A	570.68
263B9	9x48"	12-lbs	1.0cf	12	4.0	N/A	611.85
263B10	10x54"	15-lbs	1.5cf	5aux	5.0	N/A	679.64
263B12	12x52"	25-lbs	2.0cf	7aux	7.0	N/A	770.48
263B13	13x54"	30-lbs	2.5cf	9aux	9.0	N/A	841.35
STANDATD CARBON FILTER SYSTEMS (12x40 Mesh) (Taste, Odor & Chlorine Reduction)							
263C8	8x44"	10-lbs	.75cf	10	3.5	N/A	670.11
263C9	9x48"	12-lbs	1.0cf	12	4.0	N/A	744.43
263C10	10x54"	15-lbs	1.5cf	5aux	5.0	N/A	878.51
263C12	12x52"	25-lbs	2.0cf	7aux	7.0	N/A	1035.63
263C13	13x54"	30-lbs	2.5cf	9aux	9.0	N/A	1172.79
CENTAUR CATALYTIC CARBON FILTER SYSTEMS (Chlorine & Sulfur Reduction)							
263CC8	8x44"	10-lbs	.75cf	10	3.5	N/A	764.43
263CC9	9x48"	12-lbs	1.0cf	12	4.0	N/A	870.19
263CC10	10x54"	15-lbs	1.5cf	5aux	5.0	N/A	1067.14
263CC12	12x52"	25-lbs	2.0cf	7aux	7.0	N/A	1287.14
263CC13	13x54"	30-lbs	2.5cf	9aux	9.0	N/A	1487.18
COCONUT SHELL CARBON FILTER SYSTEMS (12x40 Mesh) (Taste, Odor & Chlorine)							
263CS8	8x44"	10-lbs	.75cf	10	3.5	N/A	595.91
263CS9	9x48"	12-lbs	1.0cf	12	4.0	N/A	645.49
263CS10	10x54"	15-lbs	1.5cf	5aux	5.0	N/A	730.10
263CS12	12x52"	25-lbs	2.0cf	7aux	7.0	N/A	837.75
263CS13	13x54"	30-lbs	2.5cf	9aux	9.0	N/A	925.44
FILTERAG FILTER SYSTEMS (Sediment Reduction)							
263FA8	8x44"	10-lbs	.75cf	10	3.5	N/A	532.23
263FA9	9x48"	12-lbs	1.0cf	12	4.0	N/A	560.58
263FA10	10x54"	15-lbs	1.5cf	5aux	5.0	N/A	602.73
263FA12	12x52"	25-lbs	2.0cf	7aux	7.0	N/A	667.93
263FA13	13x54"	30-lbs	2.5cf	9aux	9.0	N/A	713.17
FILTERAG PLUS FILTER SYSTEMS (Sediment Reduction & Depth Filter Applications)							
263FA8	8x44"	10-lbs	.75cf	5aux	5.0	N/A	559.37
263FA9	9x48"	12-lbs	1.0cf	7aux	7.0	N/A	593.95
263FA10	10x54"	15-lbs	1.5cf	9aux	9.0	N/A	638.30
263FA12	12x52"	25-lbs	2.0cf	12aux	12.0	N/A	726.69
263FA13	13x54"	30-lbs	2.5cf	15aux	15.0	N/A	786.12

STANDARD FEATURES

- POLYGLASS WOUND PRESSURE VESSEL
- HIGH QUALITY MEDIA'S USED
- 1.050" HIGH FLOW DISTRIBUTOR SYSTEM
- GRAVEL SUPPORT BEDDING (#20 FLINT)
- 3/4" COPPER TAIL KIT (MALE SWEAT)
- OWNERS MANUAL
- SHIPPING CARTON

*INCLUDES 4OZ POTASSIUM FEEDER

263 / 268 FA - 1" CONTROL FEATURES

- 3- CYCLE 263 CONTROL (BACKWASH VALVE)
- 5- CYCLE 268FA CONTROL (FEEDER APPLICATION 268GS)
- 12VOLT TRANSFORMER PROVIDES SAFE INSTALLATION
- CHOICE OF 6/7 DAY CLOCK REGENERATION
- NON- CORROSIVE, NORYL CONSTRUCTION
- AUTOTROL'S DESIGN MAKES DISASSEMBLY A SNAP
- FLOW RATE IS UP TO 20GPM
- BACKWASH CAPACITY HANDLES TANKS UP TO 13" DIA.

For More Information On The Series 400 Control Valves
 Please Call 800.426.9375 Or Visit www.PentairWater.com
 Key Word: 440i

SEE PAGE 18 FOR ACCESSORIES, DESIGNER TANK JACKETS AND OPTIONS

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

PENTAIR - 440

AUTOTROL 263/268FA ASSEMBLED FILTERS

REVISED 01.01.2010

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterworks@aol.com
 Please visit our web site @ www.iwaterworks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MODEL NUMBER	TANK SIZE	SUPPORT BEDDING	CUBIC FEET	BW Assy#	DLFC (Gpm)	INJECTOR COLOR	FILTER LIST
MANGANESE GREENSAND FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
268GS9*	9x48"	12-lbs	1.0cf	5aux	5.0	Red-C	785.13
268GS10*	10x54"	15-lbs	1.5cf	7aux	7.0	Red-C	878.92
268GS12*	12x52"	25-lbs	2.0cf	9aux	9.0	Red-C	1002.48
268GS13*	13x54"	30-lbs	2.5cf	10aux	10.0	Red-C	1109.59
MTM FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
268MM9*	9x48"	12-lbs	1.0cf	12	4.0	Red-C	726.37
268MM10*	10x54"	15-lbs	1.5cf	5aux	5.0	Red-C	803.51
268MM12*	12x52"	25-lbs	2.0cf	7aux	7.0	Red-C	903.69
268MM13*	13x54"	30-lbs	2.5cf	9aux	9.0	Red-C	983.91
CALCITE FILTER SYSTEMS (Neutralize Acidic Or Low PH)							
263CL9	9x48"	12-lbs	1.0cf	5aux	5.0	N/A	594.98
263CL10	10x54"	15-lbs	1.5cf	7aux	7.0	N/A	641.61
263CL12	12x52"	25-lbs	2.0cf	9aux	9.0	N/A	718.00
263CL13	13x54"	30-lbs	2.5cf	10aux	10.0	N/A	777.95
COROSEX FILTER SYSTEMS (Neutralize Acidity By Increasing PH Value)							
263CX9	9x48"	12-lbs	1.0cf	5aux	5.0	N/A	684.99
263CX10	10x54"	15-lbs	1.5cf	7aux	7.0	N/A	776.62
263CX12	12x52"	25-lbs	2.0cf	9aux	9.0	N/A	898.02
263CX13	13x54"	30-lbs	2.5cf	10aux	10.0	N/A	1002.98
DEPTH FILTER SYSTEMS (Reduction Of Particulate & Suspended Solids-10 Micron Nominal)							
263DP9	9x48"	12-lbs	1.0cf	5aux	5.0	N/A	596.14
263DP10	10x54"	15-lbs	1.5cf	7aux	7.0	N/A	638.89
263DP12	12x52"	25-lbs	2.0cf	9aux	9.0	N/A	710.94
263DP13	13x54"	30-lbs	2.5cf	10aux	10.0	N/A	773.02
PYROLOX FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
263PX7	7x44"	8-lbs	.5cf	6aux	6.0	N/A	672.96
263PX8	8x44"	10-lbs	.75cf	6aux	6.0	N/A	749.03
263PX9	9x48"	12-lbs	1.0cf	8aux	8.0	N/A	845.07
263PX10	10x54"	15-lbs	1.5cf	10aux	10.0	N/A	1017.61

AUTOTROL 263/268FA Accessories & Options

ACCESSORIES		
PART #	DESCRIPTION	LIST
1040547	90° Plastic Coupling (Space Saver)	17.76
18280	1.050" Upper Distributor Screen	2.69
OPTIONS ADDERS		
1040930	1265 Bypass Only	53.48
1001670	1" Copper Tail Kit	2.00
1041210	1.25" Copper Tail Kit	3.94
1001613	3/4" PVC Tail Kit	4.12
1001614	1" PVC Tail Kit	4.12
1040930-1	1265 Bypass w/1" Copper Tail Kit	55.48
1040930-12	1265 Bypass w/1.25" Copper Tail Kit	57.42
1049-75pvc	1265 Bypass w/3/4" PVC Tail Kit	57.61
1049-1pvc	1265 Bypass w/1" PVC Tail Kit	57.61
0000000	All Performa Cams-Call For Options	N/C

*Includes 4 or 6oz KMnO4 FEEDER

DESIGNER JACKETS		
PART #	DESCRIPTION	LIST
D07__	7"Almond, Black, Blue, White	23.64
D08__	8"Almond, Black, Blue, White	23.99
D09__	9"Almond, Black, Blue, White	26.27
D10__	10"Almond, Black, Blue, White	31.33
D12__	12"Almond Only	56.20
D13__	13"Almond Only	64.90

__ Please Specify Color: Almond (A), Black (BL), Blue (B), White (W)
 Chrome Jacket Are Also Available Please Call For Pricing

BROCHURES AND VALVE SALES SHEETS ARE AVAILABLE.. CALL FOR PRICING..

AUTOTROL (PENTAIR) LIMITED WARRANTY
 Warrants that all products it sells will be free from defects in materials and workmanship for a period of Sixty (60) months from date of shipment. Copies Of Warranty Are Available

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

PENTAIR - LOGIX 740
AUTOTROL L263 ASSEMBLED FILTERS

REVISED 01.01.2010

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterwerks@aol.com
 Please visit our web site @ www.iwaterwerks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MODEL NUMBER	TANK SIZE	SUPPORT BEDDING	CUBIC FEET	BW Assy#	DLFC (Gpm)	INJECTOR COLOR	FILTER LIST
BIRM FILTER SYSTEMS (Iron & Manganese Reduction)							
L263B8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	561.56
L263B9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	602.73
L263B10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	670.52
L263B12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	761.36
L263B13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	832.23
STANDATD CARBON FILTER SYSTEMS (12x40 Mesh) (Taste, Odor & Chlorine Reduction)							
L263C8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	660.99
L263C9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	735.31
L263C10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	869.39
L263C12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	1026.51
L263C13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	1163.67
CENTAUR CATALYTIC CARBON FILTER SYSTEMS (12x40 Mesh) (Chlorine & Sulfur Reduction)							
L263CC8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	755.31
L263CC9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	861.07
L263CC10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	1058.02
L263CC12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	1278.02
L263CC13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	1478.06
COCONUT SHELL CARBON FILTER SYSTEMS (12x40 Mesh) (Taste, Odor & Chlorine)							
L263CS8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	586.79
L263CS9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	636.37
L263CS10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	720.98
L263CS12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	282.63
L263CS13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	916.32
FILTERAG FILTER SYSTEMS (Sediment Reduction)							
L263FA8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	523.11
L263FA9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	551.46
L263FA10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	593.61
L263FA12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	658.81
L263FA13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	704.05
FILTERAG PLUS FILTER SYSTEMS (Sediment Reduction & Depth Filter Applications)							
L263FA8	8x44"	10-lbs	.75cf	5aux	5.0	Tan-G	550.25
L263FA9	9x48"	12-lbs	1.0cf	7aux	7.0	Lt.Purple-H	584.82
L263FA10	10x54"	15-lbs	1.5cf	9aux	9.0	Lt.Blue-J	629.17
L263FA12	12x52"	25-lbs	2.0cf	12aux	12.0	Pink-K	717.57
L263FA13	13x54"	30-lbs	2.5cf	15aux	15.0	Organge-L	777.00

STANDARD FEATURES

- POLYGLASS WOUND PRESSURE VESSEL
- HIGH QUALITY MEDIA'S USED
- 1.050" HIGH FLOW DISTRIBUTOR SYSTEM
- GRAVEL SUPPORT BEDDING (#20 FLINT)
- 3/4" COPPER TAIL KIT (MALE SWEAT)
- OWNERS MANUAL
- SHIPPING CARTON

*INCLUDES 4OZ POTASSIUM FEEDER

L263/268FA-1" CONTROL FEATURES

- ELECTRONIC 740 LOGIX TIME CLOCK
- 12VOLT TRANSFORMER PROVIDES SAFE INSTALLATION
- CHOICE OF 1/99 DAY CLOCK REGENERATION
- NON- CORROSIVE, NORYL CONSTRUCTION
- AUTOTROL'S DESIGN MAKES DISASSEMBLY A SNAP
- FLOW RATE IS UP TO 20GPM
- BACKWASH CAPACITY HANDLES TANKS UP TO 13" DIA.

For More Information On The LOGIX 740 & 760 Control Valves
 Please Call 800.426.9375 Or Visit www.PentairWater.com
 Key Word: LOGIX

SEE PAGE 20 FOR ACCESSORIES, DESIGNER TANK JACKETS AND OPTIONS

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

PENTAIR LOGIX - 740
AUTOTROL L263/268FA ASSEMBLED FILTERS

REVISED 01.01.2010

MODEL NUMBER	TANK SIZE	SUPPORT BEDDING	CUBIC FEET	BW Assy#	DLFC (Gpm)	INJECTOR COLOR	FILTER LIST
MANGANESE GREENSAND FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
L268GS9*	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	776.01
L268GS10*	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	869.80
L268GS12*	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	993.36
L268GS13*	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	1100.47
MTM FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
L268MM9*	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	717.25
L268MM10*	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	794.39
L268MM12*	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	894.57
L268MM13*	13x54"	30-lbs	2.5cf	9aux	9.0	Orange-L	974.79
CALCITE FILTER SYSTEMS (Neutralize Acidic Or Low PH)							
L263CL9	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	585.86
L263CL10	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	632.49
L263CL12	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	708.88
L263CL13	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	768.83
COROSEX FILTER SYSTEMS (Neutralize Acidity By Increasing PH Value)							
L263CX9	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	675.87
L263CX10	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	767.50
L263CX12	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	888.90
L263CX13	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	993.86
DEPTH FILTER SYSTEMS (Reduction Of Particulate & Suspended Solids-10 Micron Nominal)							
L263DP9	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	587.02
L263DP10	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	629.77
L263DP12	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	698.24
L263DP13	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	763.90
PYROLOX FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
L263PX7	7x44"	8-lbs	.5cf	6aux	6.0	Peach-F	663.84
L263PX8	8x44"	10-lbs	.75cf	6aux	6.0	Tan-G	739.91
L263PX9	9x48"	12-lbs	1.0cf	8aux	8.0	Lt.Purple-H	835.95
L263PX10	10x54"	15-lbs	1.5cf	10aux	10.0	Lt.Blue-J	1008.49

AUTOTROL L263/268FA Accessories & Options

ACCESSORIES			DESIGNER JACKETS		
PART #	DESCRIPTION	LIST	PART #	DESCRIPTION	LIST
1040547	90° Plastic Coupling (Space Saver)	17.76	D07__	7"Almond, Black, Blue, White	23.64
18280	1.050" Upper Distributor Screen	2.69	D08__	8"Almond, Black, Blue, White	23.99
OPTIONS ADDERS			D09__	9"Almond, Black, Blue, White	26.27
1040930	1265 Bypass Only	53.48	D10__	10"Almond, Black, Blue, White	31.33
1001670	1" Copper Tail Kit	2.00	D12__	12"Almond Only	56.20
1041210	1.25" Copper Tail Kit	3.94	D13__	13"Almond Only	64.90
1001613	3/4" PVC Tail Kit	4.12	__ Please Specify Color: Almond (A), Black (BL), Blue (B), White (W) Chrome Jacket Are Also Available Please Call For Pricing		
1001614	1" PVC Tail Kit	4.12	BROCHURES AND VALVE SALES SHEETS ARE AVAILABLE.. CALL FOR PRICING..		
1040930-1	1265 Bypass w/1" Copper Tail Kit	55.48	AUTOTROL (PENTAIR) LIMITED WARRANTY		
1040930-12	1265 Bypass w/1.25" Copper Tail Kit	57.42	Warrants that all products it sells will be free from defects in materials and workmanship for a period of Sixty (60) months from date of shipment. Copies Of Warranty Are Available		
1049-75pvc	1265 Bypass w/3/4" PVC Tail Kit	57.61			
1049-1pvc	1265 Bypass w/1" PVC Tail Kit	57.61			
0000000	All Performa Cams-Call For Options	N/C			

*Includes 4 or 6oz KMnO4 FEEDER

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterworks@aol.com
 Please visit our web site @ www.iwaterworks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

PENTAIR - LOGIX 742
AUTOTROL LL263 ASSEMBLED FILTERS

REVISED 01.01.2010

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterwerks@aol.com
 Please visit our web site @ www.iwaterwerks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MODEL NUMBER	TANK SIZE	SUPPORT BEDDING	CUBIC FEET	BW Assy#	DLFC (Gpm)	INJECTOR COLOR	FILTER LIST
BIRM FILTER SYSTEMS (Iron & Manganese Reduction)							
LL263B8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	593.59
LL263B9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	634.76
LL263B10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	702.55
LL263B12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	793.39
LL263B13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	864.26
STANDATD CARBON FILTER SYSTEMS (12x40 Mesh) (Taste, Odor & Chlorine Reduction)							
LL263C8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	693.02
LL263C9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	767.34
LL263C10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	901.42
LL263C12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	1058.54
LL263C13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	1195.70
CENTAUR CATALYTIC CARBON FILTER SYSTEMS (12x40 Mesh) (Chlorine & Sulfur Reduction)							
LL263CC8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	787.34
LL263CC9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	893.10
L263CC10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	1090.05
LL263CC12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	1310.05
LL263CC13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	1510.09
COCONUT SHELL CARBON FILTER SYSTEMS (12x40 Mesh) (Taste, Odor & Chlorine)							
LL263CS8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	618.82
LL263CS9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	668.40
LL263CS10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	753.01
LL263CS12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	860.66
LL263CS13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	948.35
FILTERAG FILTER SYSTEMS (Sediment Reduction)							
LL263FA8	8x44"	10-lbs	.75cf	10	3.5	Tan-G	555.14
LL263FA9	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	583.49
LL263FA10	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	625.64
LL263FA12	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	690.84
LL263FA13	13x54"	30-lbs	2.5cf	9aux	9.0	Organge-L	736.08
FILTERAG PLUS FILTER SYSTEMS (Sediment Reduction & Depth Filter Applications)							
LL263FA8	8x44"	10-lbs	.75cf	5aux	5.0	Tan-G	582.28
LL263FA9	9x48"	12-lbs	1.0cf	7aux	7.0	Lt.Purple-H	616.85
LL263FA10	10x54"	15-lbs	1.5cf	9aux	9.0	Lt.Blue-J	661.20
LL263FA12	12x52"	25-lbs	2.0cf	12aux	12.0	Pink-K	749.60
LL263FA13	13x54"	30-lbs	2.5cf	15aux	15.0	Organge-L	809.03

STANDARD FEATURES

- POLYGLASS WOUND PRESSURE VESSEL
- HIGH QUALITY MEDIA'S USED
- 1.050" HIGH FLOW DISTRIBUTOR SYSTEM
- GRAVEL SUPPORT BEDDING (#20 FLINT)
- 3/4" COPPER TAIL KIT (MALE SWEAT)
- OWNERS MANUAL
- SHIPPING CARTON

*INCLUDES 4OZ POTASSIUM FEEDER

LL263/268FA-1" CONTROL FEATURES

- ELECTRONIC 742 TIME CLOCK, FULLY PROGRAMMABLE
- 12VOLT TRANSFORMER PROVIDES SAFE INSTALLATION
- CHOICE OF 1/99 DAY CLOCK REGENERATION
- NON- CORROSIVE, NORYL CONSTRUCTION
- AUTOTROL'S DESIGN MAKES DISASSEMBLY A SNAP
- FLOW RATE IS UP TO 20GPM
- BACKWASH CAPACITY HANDLES TANKS UP TO 13" DIA.

For More Information On The LOGIX 742 & 762 Control Valves
 Please Call 800.426.9375 Or Visit www.GEWATER.com
 Key Word: LOGIX

SEE PAGE 22 FOR ACCESSORIES, DESIGNER TANK JACKETS AND OPTIONS

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937

AUTOTROL LL263/268FA ASSEMBLED FILTERS

REVISED 01.01.2010

INTERNATIONAL WATERWORKS inc.
 E-Mail us @ iwaterworks@aol.com
 Please visit our web site @ www.iwaterworks.com
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MODEL NUMBER	TANK SIZE	SUPPORT BEDDING	CUBIC FEET	BW Assy#	DLFC (Gpm)	INJECTOR COLOR	FILTER LIST
MANGANESE GREENSAND FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
LL268GS9*	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	684.76
LL268GS10*	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	757.83
LL268GS12*	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	830.11
LL268GS13*	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	903.05
MTM FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
LL268MM9*	9x48"	12-lbs	1.0cf	12	4.0	Lt.Purple-H	617.37
LL268MM10*	10x54"	15-lbs	1.5cf	5aux	5.0	Lt.Blue-J	682.42
LL268MM12*	12x52"	25-lbs	2.0cf	7aux	7.0	Pink-K	731.33
LL268MM13*	13x54"	30-lbs	2.5cf	9aux	9.0	Orange-L	777.36
CALCITE FILTER SYSTEMS (Neutralize Acidic Or Low PH)							
LL263CL9	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	617.89
LL263CL10	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	664.52
LL263CL12	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	740.91
LL263CL13	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	800.86
COROSEX FILTER SYSTEMS (Neutralize Acidity By Increasing PH Value)							
LL263CX9	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	707.90
LL263CX10	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	799.53
LL263CX12	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	920.93
LL263CX13	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	1025.89
DEPTH FILTER SYSTEMS (Reduction Of Particulate & Suspended Solids-10 Micron Nominal)							
LL263DP9	9x48"	12-lbs	1.0cf	5aux	5.0	Lt.Purple-H	619.05
LL263DP10	10x54"	15-lbs	1.5cf	7aux	7.0	Lt.Blue-J	661.80
LL263DP12	12x52"	25-lbs	2.0cf	9aux	9.0	Pink-K	730.27
LL263DP13	13x54"	30-lbs	2.5cf	10aux	10.0	Orange-L	795.93
PYROLOX FILTER SYSTEMS (Iron, Sulfur & Manganese Reduction)							
LL263PX7	7x44"	8-lbs	.5cf	6aux	6.0	Peach-F	695.87
LL263PX8	8x44"	10-lbs	.75cf	6aux	6.0	Tan-G	771.94
LL263PX9	9x48"	12-lbs	1.0cf	8aux	8.0	Lt.Purple-H	867.98
LL263PX10	10x54"	15-lbs	1.5cf	10aux	10.0	Lt.Blue-J	1040.52

AUTOTROL LL263/268FA Accessories & Options

ACCESSORIES			DESIGNER JACKETS		
PART #	DESCRIPTION	LIST	PART #	DESCRIPTION	LIST
1040547	90° Plastic Coupling (Space Saver)	17.76	D07__	7"Almond, Black, Blue, White	23.64
18280	1.050" Upper Distributor Screen	2.69	D08__	8"Almond, Black, Blue, White	23.99
OPTIONS ADDERS			D09__	9"Almond, Black, Blue, White	26.27
1040930	1265 Bypass Only	53.48	D10__	10"Almond, Black, Blue, White	31.33
1001670	1" Copper Tail Kit	2.00	D12__	12"Almond Only	56.20
1041210	1.25" Copper Tail Kit	3.94	D13__	13"Almond Only	64.90
1001613	3/4" PVC Tail Kit	4.12	__ Please Specify Color: Almond (A), Black (BL), Blue (B), White (W) Chrome Jacket Are Also Available Please Call For Pricing		
1001614	1" PVC Tail Kit	4.12	BROCHURES AND VALVE SALES SHEETS ARE AVAILABLE.. CALL FOR PRICING..		
1040930-1	1265 Bypass w/1" Copper Tail Kit	55.48	AUTOTROL (PENTAIR) LIMITED WARRANTY		
1040930-12	1265 Bypass w/1.25" Copper Tail Kit	57.42	Warrants that all products it sells will be free from defects in materials and workmanship for a period of Sixty (60) months from date of shipment. Copies Of Warranty Are Available		
1049-75pvc	1265 Bypass w/3/4" PVC Tail Kit	57.61			
1049-1pvc	1265 Bypass w/1" PVC Tail Kit	57.61			
0000000	All Performa Cams-Call For Options	N/C			

*Includes 4 or 6oz KMnO4 FEEDER

ALL PRICES F.O.B. SHIPPING POINT - TERMS NET (THIRTY) 30 DAYS

TOLL FREE ORDERING 800.426.9375
 11470 Kreutzer Road - Huntley, Illinois 60142 - Office (847)669.1902 - Fax (847)669.1937